Applicant: Victor Schoenle et al. Attorney's Docket No.: 10527-477001 / 01-149

Serial No.: 10/669,059

Filed: September 23, 2003

Page : 2 of 5

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1-73. (Cancelled).
- 74. (Previously Presented) A component of a medical device, wherein the component includes a region that comprises a polyamide having a tensile strength of at least about 21,000 psi, wherein the region of the component is tube-shaped.
- 75. (Cancelled).
- 76. (Original) The component of claim 74, wherein the component is a catheter.
- 77. (Original) The component of claim 74, wherein the component comprises a first layer and a second layer, the first layer having a different flexibility from the second layer.
- 78. (Previously Presented) The component of claim 74, wherein the tensile strength of the polyamide is at least about 22,500 psi.
- 79. (Previously Presented) The component of claim 74, wherein the polyamide has a hoop stress of at least about 3300 psi.
- 80. (Previously Presented) A tube-shaped portion of a catheter, the tube-shaped portion including a region comprising a polyamide having a tensile strength of at least about 21,000 psi.

Applicant: Victor Schoenle et al. Attorney's Docket No.: 10527-477001 / 01-149

Serial No.: 10/669,059

Filed: September 23, 2003

Page : 3 of 5

81. (Original)The tube-shaped portion of claim 80, wherein the tube-shaped portion comprises a first layer and a second layer, the first layer having a different flexibility from the second layer.

- 82. (Previously Presented) The tube-shaped portion of claim 80, wherein the tensile strength of the polyamide is at least about 22,500 psi.
- 83. (Previously Presented) The tube-shaped portion of claim 80, wherein the polyamide has a hoop stress of at least about 3300 psi.
- 84. (Previously Presented) A component of a medical device, wherein the component includes a region that comprises a polyamide having a hoop stress of at least about 3300 psi, wherein the region of the component is tube-shaped.
- 85. (Cancelled).
- 86. (Original) The component of claim 84, wherein the component is a catheter.
- 87. (Previously Presented) The component of claim 84, wherein the component comprises a first layer and a second layer, the first layer having a different flexibility from the second layer.
- 88. (Previously Presented) The component of claim 84, wherein the hoop stress of the polyamide is at least about 3500 psi.
- 89. (Previously Presented) A tube-shaped portion of a catheter, the tube-shaped portion including a region that comprises a polyamide having a hoop stress of at least about 3300 psi.

Applicant: Victor Schoenle et al. Attorney's Docket No.: 10527-477001 / 01-149

Serial No.: 10/669,059

Filed: September 23, 2003

Page : 4 of 5

90. (Original) The tube-shaped portion of claim 89, wherein the tube-shaped portion

comprises a first layer and a second layer, the first layer having a different flexibility from the

second layer.

91. (Previously Presented) The tube-shaped portion of claim 89, wherein the hoop stress of

the polyamide is at least about 3500 psi.

Claim 92-129. (Cancelled)

130. (Previously Presented) The component of claim 74, wherein the polyamide comprises a

copolymer.

131. (Previously Presented) The tube-shaped portion of a catheter of claim 80, wherein the

polyamide comprises a copolymer.

132. (Previously Presented) The component of claim 84, wherein the polyamide comprises a

copolymer.

133. (Previously Presented) The tube-shaped portion of a catheter of claim 89, wherein the

polyamide comprises a copolymer.

134-139. (Cancelled).